

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| L1 | 47 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up)) and ((proxy directory listing ldap "x.500") adj server) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:39 |
| L2 | 16 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not L1 | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:39 |
| L3 | 8 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:43 |
| L4 | 8 | ((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:44 |

EAST Search History

| | | | | | | |
|----|----|---|-----------------|----|----|------------------|
| L5 | 0 | (((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2 I3) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:44 |
| L6 | 84 | (((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) not (L1 L2 I3) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:44 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--------------------|------------------|---------|------------------|
| S9 | 5 | ((middle-box middlebox (middle adj box)) near3 (identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:16 |
| S10 | 0 | ((middle-box middlebox (middle adj box)) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" not S9 | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:17 |
| S11 | 842 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:32 |
| S12 | 389 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:33 |
| S13 | 75 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up)) | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:34 |
| S14 | 47 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up)) and ((proxy directory listing ldap "x.500") adj server) | US-PGPUB; USPAT | OR | ON | 2006/03/03 15:38 |

EAST Search History

| | | | | | | |
|-----|----|---|--------------------|----|----|------------------|
| S15 | 31 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server) | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:40 |
| S16 | 16 | (NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not S14 | US-PGPUB; USPAT | OR | ON | 2006/03/02 09:40 |